HIRE AND SAFETY UK

Tool hire. Ready for your next job.

Tools, access and site equipment from our independent Liverpool team.



Call 0151 207 1220

chris@hireandsafetyuk.co.uk

Unit 12, Sandon Industrial Estate, Sandon Way, Liverpool, L5 9YN

Monday-Friday 7:30am-5pm / Weekends closed

Browse the hire range, then contact us with your dates, location and job requirements. Prices, stock, supplied models and specifications are confirmed by our team.

November 2026 edition. Representative product image. Supplied make and model to confirm.

Find the right equipment

01 Access Equipment

02 Power Tools

03 Building & Site Works

04 Concreting & Compaction

05 Flooring & Cleaning

06 Decorating

07 Heating, Drying & Cooling

08 Lifting & Handling

09 Survey

10 Power & Lighting

11 Pumps

12 Pipework & Engineering

How to hire

Tell us what you need to do, your hire dates, site location and any access or power restrictions. We will confirm equipment suitability, availability, pricing, accessories and collection or delivery arrangements.

Catalogue listings are enquiry options and do not confirm stock. Reference dimensions and capacities must be checked against the actual equipment supplied. Follow the supplied instructions and agree any training, PPE, extraction or lifting requirements with our team.

Open the online brochure and download the latest PDF

Access Equipment

Towers



Standard alloy tower - 1.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 1.8m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 2.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 2.8m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 3.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 5.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 6.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 9.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 2.3m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 5.3m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 6.3m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 6.8m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Standard alloy tower - 8.8m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 1.45m overall frame width. Platform width 1.2m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 1.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 1.8m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 2.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 2.8m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 3.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 5.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 6.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 7.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 7.8m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 8.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 8.8m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 9.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 10.3m platform / 1.8m length

Aluminium mobile access tower: 1.8m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 2.8m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 3.3m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 5.3m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 6.8m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 7.3m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 7.8m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 9.8m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 10.3m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Narrow alloy tower - 12.3m platform / 2.5m length

Aluminium mobile access tower: 2.5m overall length × 0.85m overall frame width. Platform width 0.6m. Please confirm the supplied make and availability with our hire team.

Tower illustration / size and width unverified



Stairwell alloy tower

Access tower configuration intended for suitable stairwell work where the base levels differ. Stair dimensions, platform height, footprint and the approved assembly must be confirmed for the site.

Representative equipment photo / exact model and size to confirm



Folding room tower

Compact folding access tower for suitable indoor decorating, maintenance and installation tasks. Confirm doorway clearance, platform dimensions, height and permitted configuration.

Representative equipment photo / exact model and size to confirm

Ladders



3m extension ladders

Extending ladder for suitable short-duration access and maintenance work. The listed extended length is a requested size; confirm closed length, sections, actual reach and the securing arrangement.

Representative equipment photo / exact model and size to confirm



4m extension ladders

Extending ladder for suitable short-duration access and maintenance work. The listed extended length is a requested size; confirm closed length, sections, actual reach and the securing arrangement.

Representative equipment photo / exact model and size to confirm



5m extension ladders

Extending ladder for suitable short-duration access and maintenance work. The listed extended length is a requested size; confirm closed length, sections, actual reach and the securing arrangement.

Representative equipment photo / exact model and size to confirm



6m extension ladders

Extending ladder for suitable short-duration access and maintenance work. The listed extended length is a requested size; confirm closed length, sections, actual reach and the securing arrangement.

Representative equipment photo / exact model and size to confirm



7m extension ladders

Extending ladder for suitable short-duration access and maintenance work. The listed extended length is a requested size; confirm closed length, sections, actual reach and the securing arrangement.

Representative equipment photo / exact model and size to confirm



8m extension ladders

Extending ladder for suitable short-duration access and maintenance work. The listed extended length is a requested size; confirm closed length, sections, actual reach and the securing arrangement.

Representative equipment photo / exact model and size to confirm



10m extension ladders

Extending ladder for suitable short-duration access and maintenance work. The listed extended length is a requested size; confirm closed length, sections, actual reach and the securing arrangement.

Representative equipment photo / exact model and size to confirm



Roof ladder

Specialist ladder for access along a suitable pitched roof as part of an appropriate working arrangement. Confirm roof construction, pitch, hook, length and the complete access and protection requirements.

Representative equipment photo / exact model and size to confirm



4m roof ladder

Specialist ladder for access along a suitable pitched roof as part of an appropriate working arrangement. Confirm roof construction, pitch, hook, length and the complete access and protection requirements.

Representative equipment photo / exact model and size to confirm



5m roof ladder

Specialist ladder for access along a suitable pitched roof as part of an appropriate working arrangement. Confirm roof construction, pitch, hook, length and the complete access and protection requirements.

Representative equipment photo / exact model and size to confirm



6m roof ladder

Specialist ladder for access along a suitable pitched roof as part of an appropriate working arrangement. Confirm roof construction, pitch, hook, length and the complete access and protection requirements.

Representative equipment photo / exact model and size to confirm



Combination ladder

Multi-position ladder for suitable access tasks using the configurations approved for the supplied model. Discuss the task, reach and space available so the dimensions and arrangement can be confirmed.

Representative equipment photo / exact model and size to confirm



9m extension ladder

Extending ladder for suitable short-duration access and maintenance work. The listed extended length is a requested size; confirm closed length, sections, actual reach and the securing arrangement.

Representative equipment photo / exact model and size to confirm

Step Ladders & Platform Steps



4-tread step ladders

Portable steps for suitable short-duration maintenance, decorating and installation tasks. The listed tread count is tentative; confirm platform height, reach, load rating and task suitability.

Representative equipment photo / exact model and size to confirm



6-tread step ladders

Portable steps for suitable short-duration maintenance, decorating and installation tasks. The listed tread count is tentative; confirm platform height, reach, load rating and task suitability.

Representative equipment photo / exact model and size to confirm



8-tread step ladders

Portable steps for suitable short-duration maintenance, decorating and installation tasks. The listed tread count is tentative; confirm platform height, reach, load rating and task suitability.

Representative equipment photo / exact model and size to confirm



10-tread step ladders

Portable steps for suitable short-duration maintenance, decorating and installation tasks. The listed tread count is tentative; confirm platform height, reach, load rating and task suitability.

Representative equipment photo / exact model and size to confirm



12-tread step ladders

Portable steps for suitable short-duration maintenance, decorating and installation tasks. The listed tread count is tentative; confirm platform height, reach, load rating and task suitability.

Representative equipment photo / exact model and size to confirm



Fibreglass platform steps

Platform steps with fibreglass stiles for suitable maintenance and installation work. Confirm platform height, tread count and task requirements; electrical suitability must be verified for the exact product.

Representative equipment photo / exact model and size to confirm



Platform steps - 5 tread

Portable steps for suitable short-duration maintenance, decorating and installation tasks. The listed tread count is tentative; confirm platform height, reach, load rating and task suitability.

Representative equipment photo / exact model and size to confirm



2-tread platform steps

Portable steps for suitable short-duration maintenance, decorating and installation tasks. The listed tread count is tentative; confirm platform height, reach, load rating and task suitability.

Representative equipment photo / exact model and size to confirm



3-tread platform steps

Portable steps for suitable short-duration maintenance, decorating and installation tasks. The listed tread count is tentative; confirm platform height, reach, load rating and task suitability.

Representative equipment photo / exact model and size to confirm



7-tread platform steps

Portable steps for suitable short-duration maintenance, decorating and installation tasks. The listed tread count is tentative; confirm platform height, reach, load rating and task suitability.

Representative equipment photo / exact model and size to confirm

Podium Platforms & Low Level Access



Podium steps - 0.5m platform

Guarded podium access platform with an entry gate and integral steps. Requested 0.5m platform height is tentative; the company photo illustrates the podium family, not a verified height.

Company podium photo / height unverified



Podium steps - 1m platform

Guarded podium access platform with an entry gate and integral steps. Requested 1m platform height is tentative; the company photo illustrates the podium family, not a verified height.

Company podium photo / height unverified



Podium steps - 1.5m platform

Guarded podium access platform with an entry gate and integral steps. Requested 1.5m platform height is tentative; the company photo illustrates the podium family, not a verified height.

Company podium photo / height unverified



Folding work platform

Portable folding platform for suitable low-level decorating and maintenance tasks. Confirm platform height, standing area and load rating for the intended work.

Representative equipment photo / exact model and size to confirm



Podium steps - 1.25m platform

Guarded low-level platform for suitable decorating, maintenance and installation work. The requested 1.25m platform height is tentative; confirm dimensions, entry arrangement and load rating.

Representative equipment photo / exact model and size to confirm



Hop-up work platform

Compact raised platform for suitable low-level tasks where a wider standing area is useful. Confirm its height, dimensions, loading and task suitability with the team.

Representative equipment photo / exact model and size to confirm



Adjustable podium platform

Guarded low-level access platform with adjustable standing positions for suitable maintenance and installation work. Confirm the height range, footprint, entry arrangement and load rating.

Representative equipment photo / exact model and size to confirm

Powered Access



Electric scissor lift - compact

Compact powered platform for suitable vertical access and indoor maintenance tasks. Confirm platform height, load, doorway clearance, floor conditions and permitted use.

Representative equipment photo / exact model and size to confirm



Electric scissor lift - large platform

Powered access platform for suitable work requiring a larger standing area. Confirm platform dimensions, height, load, access and floor-bearing requirements.

Representative equipment photo / exact model and size to confirm



Diesel rough-terrain scissor lift

Powered scissor platform intended for suitable outdoor access on approved ground conditions. Confirm height, platform load, ground bearing, gradients and transport.

Representative equipment photo / exact model and size to confirm



Articulating boom lift

Powered access machine with an articulated boom for suitable up-and-over positioning. Confirm working height, outreach, platform load, access and ground conditions.

Representative equipment photo / exact model and size to confirm



Push-around vertical lift

Compact access platform raised vertically on a mast and repositioned manually when lowered. Platform height, capacity and exact model to confirm.

Representative equipment photo / exact model and size to confirm

Power Tools

Drilling & Breaking



SDS-plus hammer drill

Rotary hammer for concrete and masonry drilling, with light-to-medium masonry chiselling and concrete finishing capability. The reference model has vibration reduction; wood and metal drilling require suitable accessories.

Representative equipment photo / exact model and size to confirm



SDS-max combination drill

Heavy-duty rotary hammer for concrete drilling and chiselling. Speedy's reference model uses an SDS Max fitting and vibration reduction for construction work.

Representative equipment photo / exact model and size to confirm



Diamond core drill

Rig-mounted diamond coring system for concrete, reinforced concrete and asphalt. The reference machine has four gears and supports small to large core diameters; core and drilling method must match the material.

Representative equipment photo / exact model and size to confirm



Cordless combi drill

Cordless hammer drill-driver for drilling suitable timber, steel, plastic and masonry, plus driving or removing screws. The reference model has a keyless chuck, electronic clutch and torque control.

Representative equipment photo / exact model and size to confirm



Cordless impact driver

Compact cordless driver for compatible non-structural fixings in wood and metal. The reference tool uses a quarter-inch hex bit holder and has work-area illumination.

Representative equipment photo / exact model and size to confirm



Light-duty breaker

Compact demolition hammer for lighter stripping and chiselling, including tile and plaster removal. The reference model uses SDS Plus tooling and vibration reduction.

Hire & Safety UK equipment photo



Medium-duty breaker

Demolition breaker reference for masonry and concrete chiselling where a compact SDS Max machine is appropriate. The reference model includes vibration reduction.

Representative equipment photo / exact model and size to confirm



Heavy-duty floor breaker

Electric floor-demolition breaker for concrete, masonry and asphalt chiselling. The reference machine has a T-handle arrangement and vibration reduction for floor work.

Representative equipment photo / exact model and size to confirm



Right-angle drill

Angled-head drill for wood and metal in restricted spaces, including plumbing and electrical installation tasks. The reference model has two speeds, reverse rotation and an adjustable head.

Representative equipment photo / exact model and size to confirm



Diamond core drill stand

Drill stand for the Hilti DD 150-U coring machine. The reference stand supports anchor or vacuum fixing and angled coring, subject to the complete approved setup.

Representative equipment photo / exact model and size to confirm



Dust-controlled drilling attachment

On-board dust collection module for compatible Hilti rotary hammers. Speedy identifies TE 6-A36 [04] and TE 6-A22 [04] as compatible machines for this reference attachment.

Representative equipment photo / exact model and size to confirm

Sawing & Cutting



Circular saws

Hand-held circular saw for straight cuts in suitable timber and sheet materials. The company photo shows a DeWalt cordless saw in its case; the exact model and cutting capacity are unconfirmed.

Hire & Safety UK equipment photo



Mitre saw

Cordless mitre saw reference for repeat crosscuts and angled cuts in compatible timber. Check the cut capacity for your section size.

Reference model photo: Milwaukee M18 FMS254-0 / supplied model to confirm



Jigsaw

Variable-speed jigsaw for straight or shaped cuts in suitable timber and sheet metal using a material-specific blade.

Representative equipment photo / exact model and size to confirm



Reciprocating saw

Cordless reciprocating saw for cutting compatible timber, metal or other materials with the correct blade. Useful where access prevents a conventional saw cut.

Reference model photo: Hilti SR 6-22 / supplied model to confirm



Petrol cut-off saw (Stihl saw type)

Petrol cut-off saw reference for compatible masonry and construction cutting. Select the correct blade and dust-control method for the material. Stihl is a common name for this style of saw; the pictured reference is a Husqvarna and the supplied make is unconfirmed.

Reference model photo: Husqvarna K770 / supplied model to confirm



Electric tile cutter

Electric wet tile-saw reference for straight cuts in suitable tiles. Confirm tile format and diagonal-cut needs before choosing the machine.

Reference model photo: Imer Combi 250VA / supplied model to confirm



Metal cut-off saw

Bench-style metal-cutting saw reference with a quick-release vice for securing compatible metal sections. Check section shape and angle against the supplied machine.

Representative equipment photo / exact model and size to confirm



Plunge track saw

Plunge-cut saw reference for accurate straight cuts in suitable sheet materials with a compatible guide rail. Rail supply and length must be confirmed.

Reference model photo: Makita SP6000J / supplied model to confirm



Alligator saw

Twin-blade reciprocating saw for compatible building materials using the specified blade set. Choose the blade for the block or insulation material rather than assuming one blade suits every job.

Representative equipment photo / exact model and size to confirm



Floor saw

Walk-behind saw for cutting suitable concrete or asphalt using a material-specific blade. Confirm cut depth, blade, water supply, access and power source.

Representative equipment photo / exact model and size to confirm



Table saw

Portable bench saw for straight cuts in suitable timber and sheet material. Blade diameter, table size, supply and availability to confirm.

Illustrative table saw image / supplied make and model to confirm

Grinding & Chasing



115mm angle grinder

Compact grinder for cutting or grinding compatible materials with the correct disc. The named reference uses a 115mm disc.

Reference model photo: Bosch GWS 9-115 P / supplied model to confirm



230mm angle grinder

Large-disc grinder for compatible cutting and grinding work. The reference model has soft start and a deadman switch.

Reference model photo: Milwaukee AGV22-230 DMS / supplied model to confirm



Wall chaser

Twin-disc wall chaser reference for forming service channels in suitable masonry. Channel dimensions depend on the setting and material.

Reference model photo: Hilti DC-SE 20 / supplied model to confirm



Metal nibbler

Nibbler reference for straight or curved cuts in compatible sheet metal. Confirm sheet thickness and the entry point needed for internal cuts.

Representative equipment photo / exact model and size to confirm



Oscillating multi-tool

Cordless oscillating tool reference for detail cutting, scraping or sanding using compatible attachments. Accessory choice determines the material and task.

Reference model photo: Hilti SMT 6-22 / supplied model to confirm

Woodworking & Fixing



Electric planer

Handheld power planer for reducing and smoothing suitable timber surfaces, edges and doors. Confirm planing width, depth adjustment, blades and dust collection.

Representative equipment photo / exact model and size to confirm



Router

Powered cutting tool for forming suitable grooves, rebates, profiles and recesses in timber. Confirm cutter, guide, work-holding and extraction requirements for the job.

Representative equipment photo / exact model and size to confirm



Biscuit jointer

Joinery tool for cutting matching slots in suitable timber components before fitting biscuits and adhesive. Confirm the joint layout, biscuit size and cutting adjustment.

Representative equipment photo / exact model and size to confirm



First-fix nail gun

Powered nailer for compatible framing and construction fixing tasks. Confirm timber, nail type and length, operating method and any battery, gas or air requirements.

Representative equipment photo / exact model and size to confirm



Second-fix nail gun

Finishing nailer for attaching compatible trim, mouldings and other suitable joinery. Confirm nail gauge, length, material and the power source of the supplied tool.

Representative equipment photo / exact model and size to confirm



Autofeed screwdriver

Powered driver that feeds compatible collated screws for repeated fixing work. Confirm screw type and length, substrate and the fixing depth required.

Representative equipment photo / exact model and size to confirm



Door trimmer

Specialist trimming tool for reducing suitable doors in a compatible working arrangement. Confirm door construction, clearance, cutting capacity and extraction requirements.

Representative equipment photo / exact model and size to confirm



Hot-air gun

Electric heating tool for compatible stripping, softening and shrinking tasks with a suitable nozzle. Confirm the material, temperature range and task requirements.

Representative equipment photo / exact model and size to confirm



Work bench and clamps

Portable support and work-holding equipment for suitable cutting, preparation and assembly tasks. Confirm workpiece dimensions, load and the clamps required.

Representative equipment photo / exact model and size to confirm

Building & Site Works

Site Equipment & Supports



Acrow props

Adjustable steel props used as part of a designed temporary support arrangement during building alterations. The required size, load, spacing and bearing details must be specified for the work.

Representative equipment photo / exact model and size to confirm



Strongboy wall supports

Masonry support attachments used with compatible props during suitable wall alterations. The complete temporary works arrangement, prop compatibility and load limits must be confirmed before hire.

Representative equipment photo / exact model and size to confirm

Fencing & Groundworks



Temporary fencing panels

Modular fencing for forming a temporary site perimeter or separating work areas. Discuss the run length, access points, ground conditions and required feet, couplers and stabilising arrangements.

Representative equipment photo / exact model and size to confirm



Pedestrian barriers

Freestanding barriers for guiding pedestrians and separating suitable temporary work areas. Tell us the layout, length and access requirements; these are not a substitute for vehicle restraint or edge protection.

Representative equipment photo / exact model and size to confirm



Road plates

Heavy plates used to provide a temporary crossing over suitable excavations. Plate size, support, securing, loading and handling arrangements must be assessed for the specific site.


Representative equipment photo / exact model and size to confirm



Trench strut

Adjustable support component used within a designed trench-support system. Required extension range, loading, bearing and the complete excavation support design must be confirmed.

Representative equipment photo / exact model and size to confirm



Trench sheet

Steel sheeting used within a designed temporary excavation-support arrangement. Sheet length, section, installation method and bracing must be specified for the ground conditions and excavation.


Representative equipment photo / exact model and size to confirm



Ground protection mat

Temporary matting for helping protect suitable surfaces and provide a working or access route. Mat type, loading, ground conditions and the proposed route must be assessed together.

Representative equipment photo / exact model and size to confirm



Trench crossing board

Temporary crossing board for a suitable excavation or service trench. Confirm the clear span, support, securing and pedestrian or vehicle loading for the intended crossing.

Representative equipment photo / exact model and size to confirm


Trestles & Staging Boards



Youngman board - 3m

Lightweight staging board for use with compatible supports and protection in an approved access arrangement. The listed length is tentative; confirm width, support spacing and load rating.

Youngman staging board reference photo / sizes share this image; exact dimensions to confirm



Youngman board - 4m

Lightweight staging board for use with compatible supports and protection in an approved access arrangement. The listed length is tentative; confirm width, support spacing and load rating.

Youngman staging board reference photo / sizes share this image; exact dimensions to confirm



Youngman board - 5m

Lightweight staging board for use with compatible supports and protection in an approved access arrangement. The listed length is tentative; confirm width, support spacing and load rating.

Youngman staging board reference photo / sizes share this image; exact dimensions to confirm



Youngman board - 6m

Lightweight staging board for use with compatible supports and protection in an approved access arrangement. The listed length is tentative; confirm width, support spacing and load rating.

Youngman staging board reference photo / sizes share this image; exact dimensions to confirm



Scaffold boards

Boards used as part of a compatible, properly supported scaffold or staging arrangement. Board length, grade, condition, support spacing and loading must be confirmed for the application.

Illustrative steel trestles and scaffold boards / supplied sizes and configuration to confirm



Steel trestles

Adjustable steel builders' trestles for supporting a compatible staging platform. Height range, spacing and load rating to confirm.

Illustrative steel trestles and scaffold boards / supplied sizes and configuration to confirm



Staging handrail kit

Guardrail components for use with a compatible staging system during suitable access work. Confirm platform length, fixing points and the complete approved arrangement.

Representative equipment photo / exact model and size to confirm



Board retaining clamp

Clamping accessory for securing compatible boards within an approved support arrangement. Confirm the board dimensions, support system and correct fixing method before hire.

Representative equipment photo / exact model and size to confirm

Site Storage & Welfare



Site tool chest

Lockable storage chest for keeping suitable tools and accessories together on site. Confirm dimensions, locking arrangements, access and handling requirements.

Representative equipment photo / exact model and size to confirm



Mobile site storage box

Wheeled storage box for organising and moving suitable tools or materials within a site. Confirm dimensions, loading, locks and the floor conditions along the route.

Representative equipment photo / exact model and size to confirm



Site hand-wash station

Temporary washing facility for suitable site welfare arrangements. Confirm water supply, capacity, drainage, consumables and any heating requirements.

Representative equipment photo / exact model and size to confirm



Wheelbarrow

Single-wheel handling barrow for moving suitable loose materials and site loads. Confirm capacity, material type and access along the intended route.

Representative equipment photo / exact model and size to confirm



Rubbish chute

Sectional chute for directing compatible building debris to a suitable collection point. Confirm height, support, loading points, exclusion area and waste-handling arrangements.

Representative equipment photo / exact model and size to confirm



Rubble skip

Container for collecting compatible building waste within an agreed handling arrangement. Confirm capacity, dimensions, permitted materials and collection or lifting requirements.

Representative equipment photo / exact model and size to confirm



Water bowser

Transportable tank for storing and distributing water for a specified site use. Confirm capacity, fittings, transport and whether potable-water suitability is required.

Representative equipment photo / exact model and size to confirm



Site water tank

Static tank for temporary water storage in a suitable site location. Confirm capacity, connections, support and the intended water use.

Representative equipment photo / exact model and size to confirm

Concreting & Compaction

Concreting & Compaction



Lightweight plate compactor

Walk-behind vibrating plate for compacting granular sub-base during path, patio and small paving preparation. Tell us the material, area and access width so we can discuss a suitable machine.

Representative equipment photo / exact model and size to confirm



Heavy-duty plate compactor

Heavier vibrating plate for compacting granular fill and sub-base on larger landscaping and groundworks jobs. Machine weight, plate width and suitability for the required layer thickness are to confirm.

Representative equipment photo / exact model and size to confirm



Trench rammer

Upright compaction machine with a narrow foot for suitable trench backfill and confined groundworks. Confirm the soil type, trench access and required compaction before choosing the machine.

Representative equipment photo / exact model and size to confirm



4/3 petrol cement mixer

Portable petrol-driven drum mixer for preparing concrete and mortar where a mains supply is unavailable. Confirm batch capacity, fuel requirements and collection or delivery arrangements with the team.

Representative equipment photo / exact model and size to confirm



Electric cement mixer

Drum mixer on a stand for mixing concrete and mortar. The photo shows an electric mixer; drum capacity, supply voltage and model to confirm.

Representative equipment photo / exact model and size to confirm



Concrete poker vibrator

Vibrating poker inserted into freshly placed concrete to help consolidate the mix around reinforcement and formwork. Poker diameter, flexible shaft length and power unit must suit the pour.

Representative equipment photo / exact model and size to confirm



Concrete float

Hand finishing tool for levelling and smoothing freshly laid concrete during slab preparation. Tell us the area and finish required so the float type, size and handle arrangement can be confirmed.

Representative equipment photo / exact model and size to confirm



Concrete planer

Rotating-drum concrete surface planer for controlled removal of suitable floor material. Drum width, removal depth and extraction to confirm.

Representative equipment photo / exact model and size to confirm



Floor grinder

Rotary grinding machine for preparing suitable concrete floors and removing compatible surface finishes with matched tooling. Confirm the substrate, required finish, grinding head and dust extraction.

Husqvarna PG 280 reference photo / supplied model and availability to confirm



Block paving compactor mat

Protective mat fitted to a compatible plate compactor to help reduce marking during suitable block-paving work. Confirm the compactor attachment and paving manufacturer's requirements before use.

Representative equipment photo / exact model and size to confirm

Concrete Cutting & Finishing



Block splitter

Paving tool for splitting compatible blocks to suit edges and layout details. Confirm block material, dimensions and the capacity of the supplied splitter.

Representative equipment photo / exact model and size to confirm



Power float

Powered finishing machine for smoothing suitable concrete slabs at the appropriate stage of curing. Confirm working area, access, blade arrangement and power source.

Representative equipment photo / exact model and size to confirm



Beam screed

Levelling equipment for striking off suitable freshly placed concrete across an agreed span. Confirm beam length, supports, power unit and the finish required.

Representative equipment photo / exact model and size to confirm



Reversible plate compactor

Vibrating plate with forward and reverse travel for compacting suitable granular groundworks. Confirm material, layer thickness, access, machine weight and handling arrangements.

Representative equipment photo / exact model and size to confirm



Concrete bull float

Long-handled manual float for smoothing suitable fresh concrete beyond immediate hand reach. Confirm blade width, handles and the finish required for the pour.

Representative equipment photo / exact model and size to confirm



Concrete hand screed

Straight levelling beam for manually striking off fresh concrete to suitable guides or levels. Confirm beam length, handling and the working span.

Representative equipment photo / exact model and size to confirm



Rebar cutter

Tool for cutting compatible reinforcement bar to length during concrete preparation. Confirm bar grade, diameter, cutting capacity and power source.

Representative equipment photo / exact model and size to confirm



Rebar bender

Tool for forming specified bends in compatible reinforcement bar. Confirm bar grade, diameter, bend radius and the capacity of the supplied equipment.

Representative equipment photo / exact model and size to confirm

Flooring & Cleaning

Cleaning & Floor Preparation



Dust extractors

Extraction equipment for collecting dust at a compatible tool or work process. The material, dust hazard and tool connection determine the required extraction class, filtration and accessories.

Representative equipment photo / exact model and size to confirm



Wet and dry vacuum

Vacuum cleaner for collecting compatible dry debris or liquids during property maintenance and site clean-up. Confirm the waste type, filters and capacity; hazardous dust requires specifically suitable equipment.

Representative equipment photo / exact model and size to confirm



Carpet cleaners

Spray-extraction cleaning equipment that applies solution and recovers dirty water from compatible carpets. Confirm carpet suitability, cleaning solution and whether a stair or upholstery attachment is required.

Representative equipment photo / exact model and size to confirm



Pressure washer

High-pressure water-cleaning equipment for suitable paving, exterior surfaces and equipment. Confirm the surface, water supply, hose reach and power source before selecting the machine.

Representative equipment photo / exact model and size to confirm



Floor scrubber dryer

Hard-floor cleaning machine that scrubs with water or solution and collects the dirty liquid. Confirm floor material, area, access width, brushes and suitable cleaning products.

Representative equipment photo / exact model and size to confirm



Floor tile stripper

Walk-behind stripping machine with a floor-level blade for lifting compatible bonded tiles and coverings. Confirm the covering, adhesive, substrate, blade width and access.

Representative equipment photo / exact model and size to confirm



Multi stripper small

Compact powered stripping machine for lifting compatible bonded floor coverings in smaller areas. Confirm the covering, adhesive, substrate and blade required before hire.

Representative equipment photo / exact model and size to confirm



Multi stripper turbo

Powered floor-covering stripper for more demanding removal of compatible bonded finishes. Tell us the covering type, floor area and access so the blade and machine size can be confirmed.

Representative equipment photo / exact model and size to confirm



Hot-water pressure washer

Heated-water pressure-cleaning equipment for suitable surfaces with stubborn dirt or greasy deposits. Confirm surface compatibility, water supply, fuel, electrical requirements and discharge arrangements.

Representative equipment photo / exact model and size to confirm



Floor polisher

Rotary floor machine for buffing or maintaining compatible hard-floor finishes using a suitable pad. The pad, speed and cleaning or polishing product must match the flooring.

Representative equipment photo / exact model and size to confirm



Upholstery cleaning attachment

Hand attachment for a compatible spray-extraction cleaner, intended for suitable upholstery, stairs and smaller carpeted areas. Confirm fabric compatibility, connector fit and the cleaning product required.

Representative equipment photo / exact model and size to confirm



Floor planer scabbler

Floor preparation machine for removing suitable surface material and creating a keyed concrete finish. Removal depth, working width, tooling and dust extraction depend on the machine and substrate.

Representative equipment photo / exact model and size to confirm



Rotary flail scabbler

Rotating flail preparation equipment for removing suitable surface deposits and roughening compatible floors. Discuss the substrate, coating and finish required so the tooling can be matched to the task.

Representative equipment photo / exact model and size to confirm

Decorating

Sanding



Belt sander 4 inch

Handheld belt sander for removing material and levelling suitable timber surfaces before finishing. The listed 4-inch size is tentative; confirm belt size, abrasive grade and extraction.

Representative equipment photo / exact model and size to confirm



Delta sander

Handheld detail sander with a triangular pad for corners and edges. The photo shows this pad type; abrasives and exact model to confirm.

Representative equipment photo / exact model and size to confirm



Disc sander 7 inch

Handheld disc sander for suitable surface preparation. Requested 7-inch disc is tentative; exact tool, backing pad and abrasives to confirm.

Representative equipment photo / exact model and size to confirm



Floor edger 7 inch

Compact edge-sanding machine for timber floors beside skirting and in perimeter areas. Requested 7-inch disc is tentative; exact machine and abrasives to confirm.

Representative equipment photo / exact model and size to confirm



Floor finish sander

Floor-sanding equipment for fine preparation between suitable finishing stages on timber flooring. Confirm the floor type, existing finish, abrasive grades and supplied machine.

Representative equipment photo / exact model and size to confirm



Floor sander 8 inch

Floor-sanding machine for stripping and levelling suitable timber floors before refinishing. The listed 8-inch size is tentative; confirm abrasives, floor condition and extraction arrangements.

Representative equipment photo / exact model and size to confirm



Palm or orbital sander

Handheld sanding tool for preparing suitable timber and finished surfaces with a compatible abrasive. Confirm the supplied pad type, abrasive size and dust extraction.

Representative equipment photo / exact model and size to confirm



Drywall sander

Sanding tool for smoothing suitable plasterboard jointing compounds and prepared wall finishes. Confirm the finish, abrasive grade and compatible dust extraction with the team.

Representative equipment photo / exact model and size to confirm



Long-reach wall sander

Extended-reach sanding tool for preparing suitable wall and ceiling finishes. Tell us the working height and surface so head size, reach, abrasives and extraction can be confirmed.

Representative equipment photo / exact model and size to confirm



Random-orbit floor sander

Floor-finishing machine using an orbital sanding action on suitable timber surfaces. Confirm the floor condition, abrasive sequence, working width and dust collection for the supplied model.

Representative equipment photo / exact model and size to confirm

Decorating & Finishing



Wallpaper stripper

Steam wallpaper-removal equipment for softening suitable paper coverings before scraping. Check wall finish and covering compatibility, and confirm hose reach and electrical supply.

Representative equipment photo / exact model and size to confirm



Airless paint sprayer

Powered spray equipment for applying compatible coatings to suitable surfaces. Confirm coating, tip size, hose length, masking and cleaning requirements.

Representative equipment photo / exact model and size to confirm



Paddle mixer

Powered mixing tool for preparing compatible plaster, adhesive, mortar or coating products. Confirm the material, batch size, paddle and electrical supply.

Representative equipment photo / exact model and size to confirm



Plasterboard lift

Materials-handling lift for positioning compatible plasterboard panels during installation. Confirm panel size, weight, lifting height and room clearance.

Representative equipment photo / exact model and size to confirm



Tile lifting suction cups

Suction handling tools for lifting compatible tiles or panels with a suitable surface. Confirm material, finish, weight and rated capacity for the intended grip.

Representative equipment photo / exact model and size to confirm



Paint mixing attachment

Mixing paddle or accessory for use with a compatible power unit and suitable coating. Confirm product type, batch size, speed requirements and attachment fit.

Representative equipment photo / exact model and size to confirm

Heating, Drying & Cooling

Heating



Electric fan heater

Portable electric heater that moves warm air around a suitable workspace or room. Confirm heating output, electrical supply and the space to be heated.

Representative equipment photo / exact model and size to confirm



Infrared heater

Radiant heater for directing warmth towards a suitable local work area. Confirm power source, output, positioning and required clearances for the site.

Representative equipment photo / exact model and size to confirm



Direct-fired diesel heater

Fuel-burning heater that delivers warm air together with combustion products into the heated space. Suitability, ventilation, fuel and operating conditions must be confirmed for the intended location.

Representative equipment photo / exact model and size to confirm



Indirect-fired diesel heater

Fuel-burning heater that separates combustion gases from the warm air supplied to a suitable space. Confirm flue, ventilation, ducting, fuel and installation requirements.

Representative equipment photo / exact model and size to confirm



LPG space heater

Gas-fired heater for temporary heating in locations suitable for the supplied appliance. Confirm ventilation, cylinder and regulator requirements, positioning and clearances.

Representative equipment photo / exact model and size to confirm



Oil-filled electric radiator

Portable electric radiator for steady background heating in a suitable room or workspace. Confirm electrical supply, output and the area to be heated.

Representative equipment photo / exact model and size to confirm



Radiant panel heater

Panel heater for providing local radiant warmth in a suitable work area. Confirm power source, heat output and mounting or positioning requirements.

Representative equipment photo / exact model and size to confirm

Drying



Building dehumidifier

Drying machine for removing moisture from the air in suitable enclosed building spaces. Tell us the room size, temperature and drying task so extraction capacity and drainage can be confirmed.

Representative equipment photo / exact model and size to confirm



Compact dehumidifier

Smaller moisture-removal unit for suitable rooms and restricted work areas. Confirm temperature, space size, electrical supply and condensate collection or drainage.

Representative equipment photo / exact model and size to confirm



Air mover

Portable fan for increasing airflow across suitable damp surfaces as part of a planned drying process. Confirm positioning, electrical supply and whether dehumidification is also required.

Representative equipment photo / exact model and size to confirm



Carpet dryer

Air-moving equipment for directing airflow across compatible damp carpets and floor areas. Confirm flooring suitability, room conditions and the wider drying arrangement.

Representative equipment photo / exact model and size to confirm



Desiccant dehumidifier

Drying equipment that removes moisture from air using a desiccant process in suitable conditions. Confirm required capacity, temperature range, power and any wet-air ducting.

Representative equipment photo / exact model and size to confirm



Condensate pump

Pump for transferring collected water from compatible drying or cooling equipment to a suitable discharge point. Confirm connections, lift height, hose length and drainage arrangements.

Representative equipment photo / exact model and size to confirm

Cooling & Ventilation



Portable air conditioner

Temporary cooling unit for a suitable room or work area with the required heat-rejection arrangement. Confirm space size, electrical supply, exhaust ducting and condensate drainage.

Representative equipment photo / exact model and size to confirm



Industrial cooling fan

High-volume fan for increasing air movement in suitable working spaces. Confirm area, supply, positioning and the airflow required.

Representative equipment photo / exact model and size to confirm



Ventilation extractor fan

Fan for moving air through a suitable temporary ventilation arrangement. Confirm the atmosphere, required airflow, ducting and equipment suitability for the hazard.

Representative equipment photo / exact model and size to confirm



Flexible ventilation duct

Flexible ducting for directing air to or from a compatible fan. Confirm diameter, length, connectors and suitability for the temperature and atmosphere.

Representative equipment photo / exact model and size to confirm



Evaporative air cooler

Cooling unit that passes air over water to provide evaporative cooling in suitable ventilated conditions. Confirm space, humidity, water supply and electrical requirements.

Representative equipment photo / exact model and size to confirm



Portable dust filtration unit

Air-cleaning equipment for a defined dust-control arrangement in a suitable work area. Confirm dust hazard, filtration class, airflow and containment requirements.

Representative equipment photo / exact model and size to confirm

Lifting & Handling

Lifting



Scaffold hoist

Powered lifting unit for raising suitable materials within an approved scaffold-mounted arrangement. Confirm capacity, lift height, mounting, power and the complete installation.

Representative equipment photo / exact model and size to confirm



Chain block

Manually operated chain hoist for lifting suitable loads from a compatible support point. Confirm safe working load, chain drop, headroom and the lifting arrangement.

Representative equipment photo / exact model and size to confirm



Lever hoist

Manually operated lever-and-chain device for suitable lifting, pulling or positioning work. Confirm rated capacity, travel and permitted operating arrangement for the supplied model.

Representative equipment photo / exact model and size to confirm



Material lift

Materials-only lifting mast with forks or a suitable load attachment. Maximum load and lift height to confirm; this is not a personnel boom lift.

Representative equipment photo / exact model and size to confirm



Genie-type material lift

Manually operated mast lift for positioning suitable materials using compatible forks or attachments. Confirm capacity, lift height, load dimensions and access; materials only.

Representative equipment photo / exact model and size to confirm



Engine hoist

Mobile workshop crane for lifting compatible engines or components in a suitable work area. Confirm load weight, boom extension, floor conditions and clearance.

Representative equipment photo / exact model and size to confirm



Adjustable lifting gantry

Portable overhead frame for a compatible hoist and suitable material-lifting task. Confirm span, height, load rating, floor conditions and assembly requirements.

Representative equipment photo / exact model and size to confirm



Hydraulic bottle jack

Compact hydraulic jack for raising a compatible load at a suitable bearing point. Confirm capacity, closed height, lift range and independent load-support arrangements.

Representative equipment photo / exact model and size to confirm



Trolley jack

Wheeled hydraulic jack for lifting suitable loads where clearance and floor conditions permit. Confirm capacity, minimum height, lift range and the required supporting equipment.

Representative equipment photo / exact model and size to confirm



Toe jack

Hydraulic jack with a low lifting toe for suitable machinery-positioning tasks. Confirm separate toe and head ratings, available clearance and lifting travel.

Representative equipment photo / exact model and size to confirm




Lifting beam

Load-spreading attachment for a specified lifting arrangement with compatible lifting accessories. Confirm load, span, connection points and the required engineered configuration.

Representative equipment photo / exact model and size to confirm

Material Handling



Pallet trucks

Manual hand pallet truck with two forks for moving compatible pallets on suitable level surfaces. Company photo shows a red hand-operated truck; fork dimensions and load rating to confirm.

Hire & Safety UK equipment photo



Sack truck

Two-wheeled handling trolley for moving suitable boxed or stacked loads. Confirm load weight, base size, restraints and the route to be used.

Representative equipment photo / exact model and size to confirm



Platform trolley

Flat-deck wheeled trolley for transporting suitable goods across compatible level surfaces. Confirm deck dimensions, capacity and access along the planned route.

Representative equipment photo / exact model and size to confirm



Furniture moving skates

Low-profile wheeled supports for relocating suitable furniture on compatible floors. Confirm load distribution, capacity, restraints and the route before use.

Representative equipment photo / exact model and size to confirm



Bloc grabs

Lifting grab for handling compatible blocks or masonry packs within an approved lifting arrangement. Confirm load, grip range, pack condition and attachment compatibility.

Representative equipment photo / exact model and size to confirm



Panel trolley

Handling trolley for transporting suitable sheet materials in a supported position. Confirm panel dimensions, load rating, restraints and access width.

Representative equipment photo / exact model and size to confirm



Stair-climbing sack truck

Specialist sack truck for handling suitable loads on compatible stairways. Confirm load, stair dimensions, restraint and the operating method for the supplied model.

Representative equipment photo / exact model and size to confirm



Machine moving skates

Heavy-load wheeled supports for repositioning compatible machinery on suitable surfaces. Confirm load distribution, skate ratings, steering and the full moving arrangement.

Representative equipment photo / exact model and size to confirm



Glass handling trolley

Panel-handling trolley for transporting compatible glass or similar sheet materials. Confirm panel size, support, protection, restraints and rated load.

Representative equipment photo / exact model and size to confirm

Survey

Detection & Testing



Cable avoiding tool

Service-location instrument used to help trace detectable buried utilities before excavation. Use as part of a complete safe-digging process; confirm operating modes and compatible signal-generator requirements.

Representative equipment photo / exact model and size to confirm



Signal generator

Transmitter used with a compatible service locator to apply a traceable signal to suitable buried services. Confirm locator compatibility, connection accessories and the intended tracing method.

Representative equipment photo / exact model and size to confirm



Laser level

Laser setting-out tool for projecting reference lines or levels during suitable installation and building work. Confirm the required range, accuracy and supplied mount or receiver.

Representative equipment photo / exact model and size to confirm



Rotating laser level

Rotating laser for establishing a level reference across suitable site areas, groundworks or installation projects. Confirm range, receiver, tripod, staff and any grade-setting requirements.

Representative equipment photo / exact model and size to confirm



Drain test kit

Testing equipment for checking suitable drainage installations using the specified test method. Confirm pipe diameters, plugs, connections and the components required for the proposed test.

Representative equipment photo / exact model and size to confirm



Moisture meter

Measuring instrument for checking moisture indications in compatible building materials. Confirm the material, measurement method and interpretation needed for the job.

Representative equipment photo / exact model and size to confirm



Optical level and tripod

Optical surveying instrument for comparing site levels and transferring height references with a suitable staff. Confirm accuracy requirements and the tripod and staff supplied.

Representative equipment photo / exact model and size to confirm



Inspection camera

Camera with a flexible lead for viewing suitable hard-to-reach spaces during inspection work. Confirm access opening, head diameter, cable length and recording requirements.

Representative equipment photo / exact model and size to confirm



Laser distance meter

Handheld measuring instrument for checking accessible distances during surveying, estimating and fitting-out. Confirm measurement range, accuracy and suitability for the working conditions.

Representative equipment photo / exact model and size to confirm



Multi-gas detector

Monitoring instrument fitted with sensors for specified gases in suitable work environments. Confirm the target gases, calibration, checks, training and full working procedure before selecting equipment.

Representative equipment photo / exact model and size to confirm



Concrete cover meter

Instrument for helping locate reinforcement and assess cover in suitable concrete. Confirm the required survey, depth range and measurement limitations for the supplied model.

Representative equipment photo / exact model and size to confirm

Power & Lighting

Generators



3kVA generator

Temporary electrical power for compatible tools and site equipment where a fixed supply is unavailable. The listed kVA output is tentative; confirm continuous power, starting demand, outlets and fuel. A suitable outdoor operating location is required.

Representative equipment photo / exact model and size to confirm



5kVA generator

Temporary electrical power for compatible tools and site equipment where a fixed supply is unavailable. The listed kVA output is tentative; confirm continuous power, starting demand, outlets and fuel. A suitable outdoor operating location is required.

Representative equipment photo / exact model and size to confirm



6kVA generator

Temporary electrical power for compatible tools and site equipment where a fixed supply is unavailable. The listed kVA output is tentative; confirm continuous power, starting demand, outlets and fuel. A suitable outdoor operating location is required.

Representative equipment photo / exact model and size to confirm



10kVA generator

Temporary electrical power for compatible tools and site equipment where a fixed supply is unavailable. The listed kVA output is tentative; confirm continuous power, starting demand, outlets and fuel. A suitable outdoor operating location is required.

Representative equipment photo / exact model and size to confirm



20kVA generator

Temporary electrical power for compatible tools and site equipment where a fixed supply is unavailable. The listed kVA output is tentative; confirm continuous power, starting demand, outlets and fuel. A suitable outdoor operating location is required.

Representative equipment photo / exact model and size to confirm



Inverter generator

Portable generator with inverter-controlled electrical output for compatible temporary loads. Confirm continuous output, starting demand, outlets and equipment compatibility; operate only in a suitable outdoor location.

Representative equipment photo / exact model and size to confirm

Electrical Distribution



3kVA site transformer

Site transformer for supplying compatible equipment from a suitable electrical source. The listed kVA size is tentative; confirm input and output voltage, continuous duty, connectors and total tool load.

Representative equipment photo / exact model and size to confirm



5kVA site transformer

Site transformer for supplying compatible equipment from a suitable electrical source. The listed kVA size is tentative; confirm input and output voltage, continuous duty, connectors and total tool load.

Representative equipment photo / exact model and size to confirm



110V extension lead

Temporary electrical extension lead for compatible 110V site equipment. Confirm plug and socket ratings, cable length, load and the suitable supply arrangement.

Representative equipment photo / exact model and size to confirm



Site distribution board

Temporary electrical distribution unit for feeding compatible site equipment from an appropriate supply. Confirm supply rating, protection, outlets and installation requirements.

Representative equipment photo / exact model and size to confirm



Cable reel

Reeled extension cable for supplying compatible tools or temporary equipment. Confirm voltage, connectors, length and the permitted load in the intended operating arrangement.

Representative equipment photo / exact model and size to confirm



Cable protection ramp

Protective crossing ramp for routing compatible cables through suitable pedestrian or vehicle areas. Confirm channel size, loading, approach and the required crossing layout.

Representative equipment photo / exact model and size to confirm

Lighting



LED tripod work light

Freestanding LED work light for illuminating suitable temporary work areas. Confirm supply voltage, light output, stand height and indoor or outdoor suitability.

Representative equipment photo / exact model and size to confirm



Festoon lighting

Linked lamps on a temporary cable run for illuminating suitable site routes and working areas. Confirm run length, lamp spacing, supply and fixing arrangements.

Representative equipment photo / exact model and size to confirm



Rechargeable task light

Portable battery-powered light for local work where a fixed supply is inconvenient. Confirm brightness, runtime, charging and suitability for the working environment.

Representative equipment photo / exact model and size to confirm



Mobile lighting tower

Transportable lighting equipment for illuminating larger suitable outdoor working areas. Confirm coverage, power source, ground conditions, positioning and transport requirements.

Representative equipment photo / exact model and size to confirm



Inspection lamp

Portable lamp for close-up illumination during suitable maintenance and inspection tasks. Confirm supply voltage, cable reach and protection rating for the location.

Representative equipment photo / exact model and size to confirm



Battery floodlight

Rechargeable area light for temporary illumination without a continuous mains connection. Confirm output, runtime, mounting and charger requirements.

Representative equipment photo / exact model and size to confirm

Pumps

Pumping



Submersible water pump

Pump placed within compatible water for drainage and transfer from suitable pits or flooded areas. Confirm water condition, discharge height, flow and hose connections.

Representative equipment photo / exact model and size to confirm



Petrol water pump

Engine-driven pump for moving compatible water where a suitable electrical supply is unavailable. Confirm suction lift, delivery distance, water condition and hose requirements.

Representative equipment photo / exact model and size to confirm



Dirty-water pump

Drainage pump designed for compatible water containing solids within the supplied model's limits. Confirm solids size, flow, discharge height and power supply.

Representative equipment photo / exact model and size to confirm



Layflat discharge hose

Flexible hose that lies flat when empty for discharging compatible pumped water. Confirm bore, pressure rating, length, fittings and the pump connection.

Representative equipment photo / exact model and size to confirm



Puddle pump

Low-level drainage pump for removing compatible shallow standing water from suitable surfaces. Confirm minimum drawdown, water condition, supply and discharge route.

Representative equipment photo / exact model and size to confirm



Pump suction hose

Reinforced intake hose for use with a compatible surface-mounted pump. Confirm diameter, length, connections, strainer and suction requirements.

Representative equipment photo / exact model and size to confirm

Pipework & Engineering

Drain Cleaning



Electric drain cleaner

Motor-driven drain-cleaning machine that feeds a compatible rotating cable and head into suitable drainage. Confirm pipe diameter, cable reach, access and the blockage before hire.

Representative equipment photo / exact model and size to confirm



Manual drain cleaner

Hand-operated drain auger for clearing suitable smaller drain runs from an accessible opening. Confirm pipe diameter, cable length, head and drain condition.

Representative equipment photo / exact model and size to confirm



Heavy-duty drain cleaner

Powered cable-cleaning equipment for suitable larger or more demanding drain-clearing jobs. Confirm drain size, cable system, access and the required cleaning head.

Representative equipment photo / exact model and size to confirm



Drain rods

Jointed manual rods with compatible heads for clearing suitable drain runs from an accessible opening. Confirm rod type, length, joints and drain layout before hire.

Representative equipment photo / exact model and size to confirm



Drain inspection camera

Drain camera system for visually inspecting suitable pipe runs and investigating the location of defects or blockages. Confirm pipe diameter, access, cable length and recording needs.

Representative equipment photo / exact model and size to confirm



Drain jetter

Water-jetting equipment for clearing compatible drain runs using suitable hoses and nozzles. Confirm the drain condition, access, water supply and operating requirements.

Representative equipment photo / exact model and size to confirm

Pipe Cutting & Bending



Cast iron pipe cutter

Specialist cutting tool for separating compatible cast iron pipe during repair or replacement. Confirm pipe diameter, condition, access and the cutting method of the supplied tool.

Representative equipment photo / exact model and size to confirm



Conduit pipe benders

Bending tools for forming compatible conduit using the correct former and support arrangement. Confirm conduit material, diameter and the required bend.

Representative equipment photo / exact model and size to confirm



Electric pipe bender

Powered machine for forming bends in compatible pipe or conduit with matched formers. Confirm material, outside diameter, wall thickness and the required bend.

Representative equipment photo / exact model and size to confirm



Hydraulic pipe bender

Floor-standing hydraulic pipe bender with a manual pump and bending formers. Pipe material, diameter and supplied formers to confirm.

Representative equipment photo / exact model and size to confirm



Electric pipe cutter

Powered machine for cutting compatible pipework. Cutting mechanism, pipe material and diameter range are unknown; confirm these with the hire team.

Representative equipment photo / exact model and size to confirm

Manual pipe cutter

Hand-operated wheel-type tube cutter. The photo shows a compact cutter used on copper tube; compatible pipe material and diameter range to confirm.

Representative equipment photo / exact model and size to confirm



Pipe vice and stand

Pipe-holding equipment for supporting and gripping compatible pipe during cutting, threading and preparation. Confirm pipe size, work area and stability requirements.

Representative equipment photo / exact model and size to confirm



Plastic pipe cutter

Hand tool for cutting compatible plastic pipe during plumbing and installation work. Confirm pipe material, diameter and wall thickness for the supplied cutter.

Representative equipment photo / exact model and size to confirm



Copper tube bender

Tube-bending tool with suitable formers for shaping compatible copper pipe during installation. Confirm tube diameter, temper and the required bend radius.

Representative equipment photo / exact model and size to confirm



Pipe bevelling machine

Pipe-end preparation tool for forming a suitable bevel before jointing or welding. Confirm pipe material, diameter, wall thickness and the specified bevel geometry.

Representative equipment photo / exact model and size to confirm

Threading & Freezing



Manual pipe and bolt threader

Hand-operated threading equipment for cutting compatible pipe or bolt threads with matched dies. Confirm material, thread size, standard and the supplied die set.

Representative equipment photo / exact model and size to confirm



Electric pipe threader

Powered pipe-threading machine using compatible dies. Pipe diameter range, thread standard, cutting oil and electrical supply to confirm.

Representative equipment photo / exact model and size to confirm



Electric pipe freezer

Electric refrigeration equipment for creating a temporary ice plug in suitable filled pipework. Pipe sizes, contents and system suitability to confirm.

Representative equipment photo / exact model and size to confirm



Pipe pressure test pump

Pump used to apply controlled test pressure to a compatible pipework installation. Confirm the required pressure, test medium, connections and approved test procedure.

Representative equipment photo / exact model and size to confirm



Pipe grooving machine

Machine for forming grooves in compatible pipe ends for use with a specified grooved jointing system. Confirm pipe diameter, material, wall thickness and groove standard.

Representative equipment photo / exact model and size to confirm



Pipe threading die head

Thread-cutting attachment used with compatible threading equipment and the correct dies. Confirm the machine fit, thread standard, size and pipe material.

Representative equipment photo / exact model and size to confirm

Welding & Engineering



MIG welder

Wire-feed welding equipment for compatible metals using the appropriate wire and shielding arrangement. Confirm material, thickness, output, supply and consumables.

Representative equipment photo / exact model and size to confirm



Arc welder

Electrode welding equipment for compatible metalwork using suitable welding rods. Confirm material, thickness, current range, electrical supply and leads.

Representative equipment photo / exact model and size to confirm



Magnetic drill

Portable drill with a magnetic base for hole-making in suitable ferrous steel. Confirm material thickness, mounting surface, cutter size and working position.

Representative equipment photo / exact model and size to confirm



Bench grinder

Bench-mounted grinding machine for suitable sharpening and metal preparation tasks with compatible wheels. Confirm wheel type, work material, guarding and supply.

Representative equipment photo / exact model and size to confirm



TIG welder

Welding equipment using a tungsten electrode and suitable shielding gas for compatible metals. Confirm material, process requirements, output, torch, gas and electrical supply.

Representative equipment photo / exact model and size to confirm



Welding fume extractor

Extraction equipment for capturing suitable welding fumes close to the process. Confirm the welding task, capture arrangement, airflow, filtration and discharge requirements.

Representative equipment photo / exact model and size to confirm